

Checklist of the Argentine Agaricales 2. Coprinaceae and Strophariaceae

N. NIVEIRO¹ & E. ALBERTÓ^{2*}

¹*Instituto de Botánica del Nordeste (UNNE-CONICET).*

Sargento Cabral 2131, CC 209 Corrientes Capital, CP 3400, Argentina

²*Instituto de Investigaciones Biotecnológicas (UNSAM-CONICET)*

Intendente Marino Km 8.200, Chascomús, Buenos Aires, CP 7130, Argentina

*CORRESPONDENCE TO: ealberto@intech.gov.ar

ABSTRACT—A checklist of species belonging to the families *Coprinaceae* and *Strophariaceae* was made for Argentina. The list includes all species published till year 2011. Twenty-one genera and 251 species were recorded, 121 species from the family *Coprinaceae* and 130 from *Strophariaceae*.

KEY WORDS—*Agaricomycetes, Coprinus, Psathyrella, Psilocybe, Stropharia*

Introduction

This is the second checklist of the Argentine *Agaricales*. Previous one considered the families *Amanitaceae*, *Pluteaceae* and *Hygrophoraceae* (Niveiro & Albertó, 2012).

Argentina is located in southern South America, between 21° and 55° S and 53° and 73° W, covering 3.7 million of km². Due to the large size of the country, Argentina has a wide variety of climates (Niveiro & Albertó, 2012). The incidence of moist winds coming from the oceans, the Atlantic in the north and the Pacific in the south, together with different soil types, make possible the existence of many types of vegetation adapted to different climatic conditions (Brown et al., 2006).

Mycologists who studied the *Agaricales* from Argentina during the last century were reviewed by Niveiro & Albertó (2012). It is considered that the knowledge of the group is still incomplete, since many geographic areas in Argentina have not been studied as yet. The checklist provided here establishes a baseline of knowledge about the diversity of species described from *Coprinaceae* and *Strophariaceae* families in Argentina, and serves as a resource for future studies of mushroom biodiversity.

Materials & Methods

Nomenclature and classification systems

This checklist was based on all publications recorded for Argentina till 2011. Nomenclature and classification systems followed Singer (1986) for families, and Kirk et al. (2008) and Index Fungorum (<http://www.indexfungorum.org>) for genera and species. Synonyms were simplified and only the basionym and the names of each species recorded for Argentina were included. Index Fungorum was consulted for current names of species and synonyms.

For journal abbreviations, the Botanico Periodico Huntianum web site was used (http://fmhibd.library.cmu.edu/fmi/iwp/cgi?db=BPH_Online&loadframes). For author abbreviations, the

International Plant Names Index (IPNI) (<http://www.ipni.org>) and Authors of Fungal Names (<http://www.indexfungorum.org/names/AuthorsOfFungalNames.asp>) were used. References cited for each species were ordered firstly by author in alphabetical order and secondly by year of publication.

We found genera that are not considered valid at present (Kirk et al., 2008), and species that were transferred to another genus (for example *Kuehneromyces*, at present *Pholiota*). However, not all the species of those genera have been transferred to the current genus. As type materials were not studied, we cited them as were originally published. The valid genus according to Kirk et al. (2008) is given between brackets followed by the symbol =.

Sometimes Spegazzini used symbols or letters when he referred to sub specific taxonomic ranks (for example: *Coprinus hendersonii* Berk. * *australis* Speg.). In those cases we used the same nomenclature that Spegazzini originally published although according to art. 35.4 of ICNB it is considered to be a variety.

Remarks were only added in those taxa where we found a conflict such as: species not validly published (NVP), the holotype is missing (MH), doubtful name, synonyms, unpublished transfer of a species to a different genus, or when the distribution of the species was not completely clear.

Books were cited by the year in which they were really published and not the year printed in the publication. This is the case, for example, of “Pródromo de la flora Agaricina” which was cited as Singer & Digilio (1952). In this case, two years are provided for species citation in the “literature cited” section, the real year of publication between parenthesis and year printed in the book between brackets.

Distribution

Species distribution was cited according to the Province (State) where it was collected using abbreviations (Table 1). A map with the political division of Argentina and the abbreviations for each state can be seen in Niveiro & Albertó (2012).

Occasionally, authors only described a place or an area to indicate the distribution; in this case we reproduced author’s comments between quotations marks; for example “North Argentina”.

It should be taken into account that although many species were recorded in the provinces of the Patagonia Argentina (Neuquén, Rio Negro, Chubut, Santa Cruz, Tierra del Fuego), most of them were found in the Patagonian Andes forest which is located in a narrow strip to the west of the southern provinces.

TABLE 1– Abbreviations used for Provinces of Argentina.

Province	Abbrev.	Province	Abbrev.
Antártida	ANT	Misiones	MNES
Buenos Aires	BA	Mendoza	MZA
Catamarca	CAT	Neuquén	N
Córdoba	CBA	Rio Negro	RN
Chaco	CH	Salta	S
Chubut	CHU	Santa Cruz	SC
Corrientes	CTES	Santiago del Estero	SE
Entre Ríos	ER	Santa Fe	SF
Formosa	FSA	San Juan	SJ
Islas Malvinas	IM	San Luis	SL
Jujuy	J	Tucumán	T
La Pampa	LP	Tierra del Fuego	TF
La Rioja	LR	No data	ND
Patagonian Andes forest			AP

CHECKLIST OF *COPRINACEAE* AND *STROPHARIACEAE* FROM ARGENTINA

COPRINACEAE

***Coprinellus* P. Karst.**

Coprinellus angulatus (Peck) Redhead, Vilgalys & Moncalvo, *Taxon* **50**(1): 232, 2001.

Bas: *Coprinus angulatus* Peck, 1874 [1873].

Dist: N

Ref: Singer (1969).

Coprinellus brevisetulosus (Arnolds) Redhead, Vilgalys & Moncalvo, *Taxon* **50**(1): 232, 2001.

Bas: *Coprinus brevisetulosus* Arnolds, 1982.

Dist: IM

Ref: Watling & Richardson (2010).

Coprinellus curtus (Kalchbr.) Vilgalys, Hopple & Jacq. Johnson, *Taxon* **50**(1): 233, 2001.

Bas: *Coprinus curtus* Kalchbr., 1881.

Dist: IM

Ref: Watling & Richardson (2010).

Coprinellus deliquescens (Bull.) P. Karst., *Bidrag. Kändedom Finlands Natur Folk.* **32**: 542, 1879.

Bas: *Agaricus deliquescens* Bull., 1786.

= *Coprinus deliquescens* (Bull.) Fr., 1838.

Dist: BA

Ref: Spegazzini (1899).

Coprinellus disseminatus (Pers.) J.E. Lange, *Dansk Bot. Ark.* **9**(6): 93, 1938.

Bas: *Agaricus disseminatus* Pers., 1801.

= *Psathyrella disseminata* (Pers.) Quél., 1872.

= *Coprinus disseminatus* (Pers.) Gray, 1821.

= *Pseudocoprinus disseminatus* (Pers.) Kühner, 1928.

Dist: T, MNES, BA, N, RN

Ref: Ramadori (1985a), Raithelhuber (1977, 1988, 1991, 2000a, 2004), Singer (1953b, 1954, 1969), Singer & Digilio (1952), Spegazzini (1880a, 1899, 1908, 1919), Wright & Albertó (2002).

Coprinellus domesticus (Bolton) Vilgalys, Hopple & Jacq. Johnson, *Taxon* **50**(1): 233, 2001.

Bas: *Agaricus domesticus* Bolton, 1788.

= *Coprinus domesticus* (Bolton) Gray, 1821.

Dist: BA

Ref: Bruno et al. (1970), Raithelhuber (2004), Wright & Albertó (2002).

Coprinellus ephemerus (Bull.) Redhead, Vilgalys & Moncalvo, *Taxon* **50**(1): 233, 2001.

Bas: *Agaricus ephemerus* Bull., 1786.

= *Coprinus ephemerus* (Bull.) Fr., 1838 [1836].

Dist: BA, IM

Ref: Spegazzini (1880b), Watling & Richardson (2010).

Coprinellus hiascens (Fr.) Redhead, Vilgalys & Moncalvo, *Taxon* **50**(1): 234, 2001.

Bas: *Agaricus hiascens* Fr., 1821.

= *Psathyrella hiascens* (Fr.) Quél., 1872.

Dist: BA

Ref: Spegazzini (1926b).

Coprinellus micaceus (Bull.) Vilgalys, Hopple & Jacq. Johnson, *Taxon* **50**(1): 234, 2001.

Bas: *Agaricus micaceus* Bull., 1786.

= *Coprinus micaceus* (Bull.) Fr., 1838 [1836].

Dist: BA

Ref: Raithelhuber (1974, 1988, 1991, 2004), Wright & Albertó (2002).

Coprinellus pellucidus (P. Karst.) Redhead, Vilgalys & Moncalvo, *Taxon* **50**(1): 234, 2001.

Bas: *Coprinus pellucidus* P. Karst., 1882.

Dist: IM

Ref: Watling & Richardson (2010).

Coprinellus radians (Desm.) Vilgalys, Hopple & Jacq. Johnson, *Taxon* **50**(1): 234, 2001.

Bas: *Agaricus radians* Desm., 1828.

= *Coprinus radians* (Desm.) Fr., 1838.

Dist: BA

Ref: Bruno et al. (1970), Martínez (1949), Raithelhuber (2004), Singer (1969).

Coprinellus subimpatiens (M. Lange & A.H. Sm.) Redhead, Vilgalys & Moncalvo, *Taxon* **50**(1): 234, 2001.

Bas: *Coprinus subimpatiens* M. Lange & A.H. Sm., 1953.

Dist: BA

Ref: Singer (1969).

Coprinellus truncorum (Scop.) Redhead, Vilgalys & Moncalvo, *Taxon* **50**(1): 235, 2001.

Bas: *Agaricus truncorum* Scop., 1770

= *Coprinus truncorum* (Scop.) Fr., 1838 [1836].

Dist: S, BA, TF

Ref: Horak (1967, 1980), Raithelhuber (1974, 1988, 1991, 2004), Spegazzini (1880b, 1887b, 1899, 1922, 1926b), Wright & Albertó (2002).

Coprinopsis P. Karst.

Coprinopsis atramentaria (Bull.) Redhead, Vilgalys & Moncalvo, *Taxon* **50**(1): 226, 2001.

Bas: *Agaricus atramentarius* Bull., 1786.

= *Coprinus atramentarius* (Bull.) Fr., 1838.

Dist: BA, N, RN, TF

Ref: Bruno et al. (1970), Horak (1967), Ramadori (1992), Raithelhuber (1974, 1977, 1988, 1991, 2000a, 2004), Singer (1954, 1969), Spegazzini (1880b, 1925), Wright & Albertó (2002).

Coprinopsis cordispora (T. Gibbs) Watling & M.J. Richardson, *Edinburgh J. Bot.* **67**(3): 406, 2010.

Bas: *Coprinus cordisporus* T. Gibbs, 1908.

Dist: IM

Ref: Watling & Richardson (2010).

Coprinopsis ephemerooides (DC.) Watling & M.J. Richardson, *Edinburgh J. Bot.* **67**(3): 406, 2010.

Bas: *Agaricus ephemerooides* DC., 1805.

Dist: IM

Ref: Watling & Richardson (2010).

Coprinopsis lagopides (P. Karst.) Redhead, Vilgalys & Moncalvo, *Taxon* **50**(1): 229, 2001.

Bas: *Coprinus lagopides* P. Karst., 1879.

Dist: RN

Ref: Raithelhuber (1991, 2004), Singer (1969).

Coprinopsis lagopus (Fr.) Redhead, Vilgalys & Moncalvo, *Taxon* **50**(1): 229, 2001.

Bas: *Agaricus lagopus* Fr., 1821.

= *Coprinus lagopus* (Fr.) Fr., 1838.

Dist: BA

Ref: Bruno et al. (1970).

Coprinopsis narcotica (Batsch) Redhead, Vilgalys & Moncalvo, *Taxon* **50**(1): 229, 2001.

Bas: *Agaricus narcoticus* Batsch, 1786.

= *Coprinus narcoticus* (Batsch) Fr., 1838 [1836].

Dist: BA

Ref: Bruno et al. (1970).

Coprinopsis nivea (Pers.) Redhead, Vilgalys & Moncalvo, *Taxon* **50**(1): 229, 2001.

Bas: *Agaricus niveus* Pers., 1801.

Dist: IM

Ref: Watling & Richardson (2010).

Coprinopsis pachysperma (P.D. Orton) Redhead, Vilgalys & Moncalvo, *Taxon* **50**(1): 230, 2001.
Bas: *Coprinus pachyspermus* P.D. Orton, 1972.

Dist: IM

Ref: Watling & Richardson (2010).

Coprinopsis picacea (Bull.) Redhead, Vilgalys & Moncalvo, *Taxon* **50**(1): 230, 2001.

Bas: *Agaricus picaceus* Bull., 1876.

= *Coprinus picaceus* (Bull.) Gray, 1821.

Dist: CAT, BA

Ref: Spegazzini (1912, 1926b).

Coprinopsis radiata (Bolton) Redhead, Vilgalys & Moncalvo, *Taxon* **50**(1): 230, 2001.

Bas: *Agaricus radiatus* Bolton, 1788.

= *Coprinus radiatus* (Bolton) Gray, 1821.

Dist: BA, IM

Ref: Bruno et al. (1970), Spegazzini (1899), Watling & Richardson (2010), Wright & Albertó (2002).

Coprinopsis radicans (Romagn.) Redhead, Vilgalys & Moncalvo, *Taxon* **50**(1): 230, 2001.

Bas: *Coprinus radicans* Romagn., 1951.

Dist: BA

Ref: Ramadori (1992).

Coprinopsis stercorea (Fr.) Redhead, Vilgalys & Moncalvo, *Taxon* **50**(1): 231, 2001.

Bas: *Agaricus stercorarius* Bull., 1786.

= *Coprinus stercorarius* (Bull.) Fr., 1838.

Dist: TF, IM

Ref: Horak (1967), Spegazzini (1887b), Watling & Richardson (2010).

Coprinopsis vermiculifer (Joss. ex Dennis) Redhead, Vilgalys & Moncalvo, *Taxon* **50**(1): 232, 2001.

Bas: *Coprinus vermiculifer* Joss. ex Dennis, 1964.

Dist: IM

Ref: Watling & Richardson (2010).

Coprinus Pers.

Coprinus acidorus Raithelh., *Hong. Argentin.* 2: 128, 1977.

Dist: RN, AP

Ref: Raithelhuber (1977, 1988, 1991, 2004).

Coprinus aureovillosus Raithelh., *Metrodiana, Sonderh.* 4: 9, 1990.

= *Coprinus silvaticus* Peck sensu Horak, 1980.

Dist: BA, TF

Ref: Horak (1980), Ramadori (1992), Raithelhuber (1988, 1991, 2004).

Coprinus carbonicola Singer, *Beih. Nova Hedwigia* 29: 176, 1969.

Dist: BA, RN

Ref: Raithelhuber (1977, 1988, 1991, 2004), Singer (1969).

Coprinus comatus (O.F. Müll.) Pers., *Tent. disp. meth. fung. (Lipsiae)*: 62, 1797.

Bas: *Agaricus comatus* O.F. Müll., 1767.

= *Coprinus ovatus* (Schaeff.) Fr., 1838.

= *Coprinus columellifer* Speg., 1880.

Dist: S, T, CAT, ER, SF, CBA, BA, MZA, N, RN

Ref: Bruno et al. (1970), Farr (1973), Horak (1967), Raithelhuber (2004), Ramadori (1985a, 1992), Singer (1953b, 1954, 1969), Spegazzini (1880b, 1887a, 1899, 1909, 1919, 1926a, 1926b), Wright & Albertó (2002).

Coprinus deserticola Speg., *Anales Mus. Nac. Buenos Aires* 6: 156, 1899 [1898].

Dist: S

Ref: Farr (1973), Singer (1969), Spegazzini (1899).

Coprinus digitalis (Batsch) Fr., *Epicr. syst. mycol. (Upsaliae)*: 249, 1838.

Bas: *Agaricus digitalis* Batsch, 1783.

Dist: BA

Ref: Spegazzini (1880a, 1899).

Coprinus disseminatus f. **disseminatoides** (Raithelh.) Raithelh., *Nueva Flora Micología Argentina*: 251, 2004.

Bas: *Coprinus disseminatoides* Raithelh., 1974.

Dist: BA

Ref: Raithelhuber (1974, 1988, 1991, 2004).

Obs: *Coprinus disseminatus* (Pers.) J.E. Lange was transferred to genus *Coprinellus* (Lange, 1938).

Coprinus edulis Speg., *Anales Mus. Nac. Buenos Aires* 6: 157, 1899 [1898].

Dist: BA

Ref: Farr (1973), Spegazzini (1899, 1926b).

Coprinus fagnani Raithelh., *Metrodiana, Sonderh.* **4:** 8, 1990.

= *Coprinus ephemerooides* (DC.) Fr. sensu Horak, 1980.

= *Coprinus hendersonii* (Berk.) Fr., 1838.

Dist: TF

Ref: Horak (1967, 1980), Raithelhuber (1988, 1990, 1991, 2004), Spegazzini (1887a).

Coprinus filiformis Berk. & Broome, *Ann. Mag. Nat. Hist.* **7:** 379, 1861.

Dist: BA

Ref: Spegazzini (1899).

Coprinus fimetarius Fr., *Epicr. syst. mycol. (Upsaliae):* 245, 1838.

Dist: BA

Ref: Horak (1967), Spegazzini (1887a, 1899).

Coprinus flosculus Berk., *Trans. Linn. Soc. London, Bot.* **20:** 448, 1847.

Dist: TF

Ref: Horak (1967), Spegazzini (1887b).

Coprinus fuscescens (Schaeff.) Fr., *Epicr. syst. mycol. (Upsaliae):* 244, 1838.

Bas: *Agaricus fuscescens* Schaeff., 1762.

Dist: BA

Ref: Spegazzini (1881, 1926b).

Coprinus glandulifer Speg., *Anales Mus. Nac. Buenos Aires* **6:** 159, 1899 [1898].

Dist: BA

Ref: Farr (1973), Spegazzini (1899).

Coprinus hendersonii Berk. ***australis** Speg., *Anales Soc. Ci. Argent.* **12(1):** 22, 1881.

Dist: BA

Ref: Farr (1973), Spegazzini (1881).

Obs: *C. hendersonii* Berk. is considered as synonym of *C. ephemerooides* (DC.) Fr. (Horak 1980) and *C. fagnani* Raithelh. (Raithelhuber 1990).

Coprinus herbivorus Singer, *Beih. Sydowia* **7:** 70, 1973.

Dist: J

Ref: Raithelhuber (1988, 1991, 2004), Singer (1973).

Coprinus humilis Speg., *Anales Mus. Nac. Buenos Aires* **6:** 159, 1899 [1898].

Dist: BA

Ref: Spegazzini (1899).

Coprinus levipes (Speg.) Speg., *Anales Mus. Nac. Buenos Aires* **6**: 159, 1899 [1898].

Bas: *Coprinus filiformis* * levipes Speg., 1881.

Dist: BA, TF

Ref: Farr (1973), Horak (1967), Spegazzini (1881, 1887b, 1899).

Coprinus pampeanus Speg., *Anales Soc. Ci. Argent.* **12**: 28, 1881.

Dist: BA

Ref: Farr (1973), Spegazzini (1881, 1899).

Coprinus patagonicus Speg. ex Horak, *Darwiniana* **14**(2-3): 372, 1967.

Dist: CHU

Ref: Farr (1973), Horak (1967).

Coprinus perpusillus (Speg.) Speg., *Anales Soc. Ci. Argent.* **9**: 6, 1880.

Bas: *Bolbitius perpusillus* Speg., 1880.

Dist: BA

Ref: Farr (1973), Horak (1967), Spegazzini (1880a, 1880b, 1881, 1887a).

Coprinus phylladophilus Singer, *Beih. Nova Hedwigia* **29**: 180, 1969.

Dist: BA

Ref: Raithelhuber (2004), Singer (1969).

Coprinus platensis Speg., *Anales Mus. Nac. Buenos Aires* **6**:158, 1899 [1898].

Dist: BA

Ref: Farr (1973), Spegazzini (1899).

Coprinus platysporus Speg., *Anales Mus. Nac. Buenos Aires* **6**:160, 1899 [1898].

Dist: BA

Ref: Farr (1973), Spegazzini (1899).

Coprinus psamthonophilus Speg., *Anales Mus. Nac. Buenos Aires* **6**:156, 1899 [1898].

Dist: BA, MZA, RN

Ref: Farr (1973), Singer (1968, 1969), Spegazzini (1899, 1909).

Coprinus rostrupianus E.C. Hansen, *Bot. Ztg.* **55**: 125, 1897.

Dist: BA

Ref: Bruno et al. (1970).

Coprinus rufopruinatus Romagn., *Bull. Trimestriel Soc. Mycol. France* **92**(2): 204, 1976.

Dist: MNES

Ref: Lechner et al. (2006), Wright et al. (2008), Wright & Wright (2005).

Coprinus saccharinus Romagn., *Bull. Trimestriel Soc. Mycol. France* **92**(2): 201, 1976.

Dist: N

Ref: Raithelhuber (1988, 1991, 2004), Singer (1969).

Coprinus sclerobasidium Singer, *Beih. Nova Hedwigia* **29**: 179, 1969.

Dist: N

Ref: Raithelhuber (1988, 1991, 2004), Singer (1969).

Coprinus speciosolus Speg., *Anales Mus. Nac. Buenos Aires* **6**:855, 1899 [1898].

Dist: BA

Ref: Farr (1973), Raithelhuber (1974, 1988, 1991), Spegazzini (1899).

Coprinus sphaerophorus Speg., *Bol. Acad. Ci. (Córdoba)* **28**: 340, 1926.

Dist: BA

Ref: Farr (1973), Spegazzini (1926b).

Coprinus sterquilinus (Fr.) Fr., *Epicr. syst. mycol. (Upsaliae)*: 242, 1838 [1836].

Bas: *Agaricus sterquilinus* Fr., 1821.

Dist: BA

Ref: Bruno et al. (1970).

Coprinus subrenispermus Singer, *Beih. Nova Hedwigia* **29**: 182, 1969.

Dist: RN

Ref: Raithelhuber (1977, 1988, 1991, 2004), Singer (1969).

Coprinus uspallatae Singer, *Beih. Nova Hedwigia* **29**: 178, 1969.

Dist: MZA

Ref: Raithelhuber (1988, 1991, 2004), Singer (1969).

Lacrymaria Pat.

Lacrymaria lacrymabunda (Bull.) Pat., *Hyménomyc. Eur. (Paris)*: 123, 1887.

Bas: *Agaricus lacrymabundus* Bull., 1785.

= *Hypholoma lacrymabundum* (Bull.) Quél., 1887.

= *Lacrymaria velutina* (Pers.) Konrad & Maubl., 1925.

Dist: BA, TF

Ref: Horak (1980), Raithelhuber (1988, 1991, 2004), Spegazzini (1926b).

Panaeolus (Fr.) Quél.

Panaeolus antillarum (Fr.) Dennis, *Kew Bull.* **15**(1): 124, 1961.

Bas: *Agaricus antillarum* Fr. 1828.

Dist: IM

Ref: Watling & Richardson (2010).

Panaeolus acuminatus (Schaeff.) Quél., *Hyménomycètes* (Alençon): 621, 1874.

Bas: *Agaricus acuminatus* Schaeff., 1774.

= *Panaeolus caliginosus* (Jungh.) Gillet, 1878.

Dist: BA

Ref: Spegazzini (1899).

Panaeolus acuminatus var. **rickenii** (Hora) P. Roux, Guy Garcia & Charret, *Mille et Un Champignons*: 13, 2006.

Bas: *Panaeolus rickenii* Hora, 1960.

Dist: T, N, RN, TF

Ref: Raithelhuber (1977, 1988, 1991, 2004), Singer (1969).

Panaeolus convexulus Singer, *Mycopathol. Mycol. Appl.* **26**: 161, 1965.

Dist: BA, AP

Ref: Raithelhuber (1988, 1991, 2000a, 2004), Singer (1969).

Panaeolus fimicola (Pers.) Gillet, *Hyménomycètes* (Alençon): 621, 1878.

Bas: *Agaricus fimicola* Pers., 1801.

Dist: CBA

Ref: Spegazzini (1926a).

Panaeolus moellerianus Singer, *Lilloa* **30**: 123, 1960.

Dist: ND

Ref: Singer (1969).

Obs: Singer (1969) cited this species as recorded in southern South America, but he did not clear up if it was present in Argentina.

Panaeolus olivaceofuscus Raithelh., *Hong. Argentin.* **2**: 95, 1977.

Dist: RN

Ref: Raithelhuber (1977).

Panaeolus papilionaceus (Bull.) Quél., *Mém. Soc. Émul. Montbéliard*, Sér. 2 **5**: 122, 1873 [1872].

Bas: *Agaricus papilionaceus* Bull., 1781.

= *Panaeolus sphinctrinus* (Fr.) Quél., 1872.

= *Panaeolus campanulatus* (L.) Quél., 1872.

= *Panaeolus retirugis* (Fr.) Gillet, 1878.

Dist: S, T, CAT, CH, SJ, MZA, CBA, BA, N, RN, SC, TF, IM

Ref: Horak (1967, 1980), Raithelhuber (1988, 1991, 2004), Singer (1954, 1969), Spegazzini (1880a, 1887a, 1887b, 1899, 1919, 1922, 1926a, 1926b), Watling & Richardson (2010), Wright & Albertó (2002).

Panaeolus semiovatus (Sowerby) S. Lundell & Nannf., *Fungi Exsiccati Suecici* **11-12**: 14, 1938.

Bas: *Agaricus semiovatus* Sowerby, 1798.

= *Anellaria semiovata* (Sowerby) A. Pearson & Dennis, 1948

= *Agaricus separatus* L., 1753.

= *Panaeolus separatus* (L.) Quél., 1877 [1876].

= *Anellaria separata* (L.) P. Karst., 1879.

Dist: BA, N, RN, SC, TF, IM, “South of Argentina and mountains 2200 m over see level in the north”.

Ref: Horak (1967, 1980), Raithelhuber (1988, 1991, 2004), Singer (1954, 1969), Singer & Digilio (1952), Spegazzini (1881, 1887a, 1926b), Watling & Richardson (2010).

Panaeolus semiovatus var. **phalaenarum** (Fr.) Ew. Gerhardt, *Biblioth. Bot.* **147**: 24, 1996.

Bas: *Agaricus phalaenarum* Fr., 1838 [1836-1838].

= *Panaeolus phalaenarum* (Fr.) Quél., 1872.

Dist: BA, N, RN, CHU

Ref: Raithelhuber (1977, 1988, 1991, 2004), Singer (1969), Singer & Digilio (1952).

Panaeolus sepulchralis (Berk.) Sacc., *Syll. fung.* **5**: 1119, 1887.

Bas: *Agaricus sepulchralis* Berk., 1842.

= *Anellaria sepulchralis* (Berk.) Singer, 1951 [1949].

Dist: T, BA

Ref: Raithelhuber (1988, 1991, 2004), Singer (1953b, 1969), Singer & Digilio (1952), Wright & Albertó (2002).

Panaeolus solidipes (Peck) Sacc., *Syll. fung.* **5**: 1123, 1887.

Bas: *Agaricus solidipes* Peck, 1870.

Dist: BA

Ref: Martínez (1949).

Panaeolus subbalteatus (Berk. & Broome) Sacc., *Syll. fung.* **5**: 1124, 1887.

Bas: *Agaricus subbalteatus* Berk. & Broome, 1861.

Dist: MNES

Ref: Niveiro et al. (2010), Singer & Digilio (1952).

Panaeolus subfirmus P. Karst., *Hedwigia* **28**: 365, 1889.

Dist: IM

Ref: Watling & Richardson (2010).

Panaeolus subfragilis Raithelh., *Metrodiana, South.* **5:** 54, 2000.

Dist: BA

Ref: Raithelhuber (2000b, 2004).

Panaeolus uliginicola (Speg.) Speg., *Syll. fung.* **9:** 148, 1891.

Bas: *Agaricus (Panaeolus) uliginicola* Speg., 1881.

Dist: N

Ref: Farr (1973), Horak (1967), Raithelhuber (1988, 1991, 2004), Singer (1969), Spegazzini (1887a).

Parasola Redhead, Vilgalys & Hopple

Parasola auricoma (Pat.) Redhead, Vilgalys & Hopple, *Taxon* **50**(1): 235, 2001.

Bas: *Coprinus auricomus* Pat., 1886.

Dist: RN, N

Ref: Raithelhuber (1991, 2004), Singer (1969).

Parasola misera (P. Karst.) Redhead, Vilgalys & Hopple, *Taxon* **50**(1): 236 (2001)

Bas: *Coprinus miser* P. Karst., 1882.

Dist: IM

Ref: Watling & Richardson (2010).

Parasola plicatilis (Curtis) Redhead, Vilgalys & Hopple, *Taxon* **50**(1): 235, 2001.

Bas: *Agaricus plicatilis* Curtis, 1787.

= *Coprinus plicatilis* (Curtis) Fr., 1838 [1836].

Dist: BA

Ref: Horak (1967), Raithelhuber (2004), Ramadori (1985a), Spegazzini (1887a), Wright & Albertó (2002).

Psathyra (Fr.) P. Kumm. [= Psathyrella (Fr.) Quél.]

Psathyra gyroflexa (Fr.) P. Kumm., *Führ. Pilzk.* (Zwickau): 70, 1871.

Bas: *Agaricus gyroflexus* Fr., 1838.

Dist: CBA, BA

Ref: Spegazzini (1899, 1926a).

Psathyra pellosperma (Bull.) Berk. & Broome, *Ann. Mag. Nat. Hist.* **7:** 373, 1883.

Bas: *Agaricus pellospermus* Bull., 1791.

Dist: CBA

Ref: Spegazzini (1926a).

Psathyrella (Fr.) Quél.**Psathyrella ammophila** (Durieu & Lév.) P.D. Orton, *Trans. Br. Mycol. Soc.* **43**(2): 180, 1960.Bas: *Agaricus ammophilus* Durieu & Lév., 1868.

Dist: BA

Ref: Singer (1968, 1969), Wright & Albertó (2002).

Psathyrella argentina Speg., *Anales Mus. Nac. Buenos Aires* **6**: 153, 1899.

Dist: BA

Ref: Farr (1973), Spegazzini (1899).

Psathyrella asperella Quél., *Hedwigia* **24**: 136, 1885.

Dist: BA

Ref: Spegazzini (1926b).

Psathyrella candolleana (Fr.) Maire, *Bull. Soc. Mycol. France* **29**: 185, 1913.Bas: *Agaricus candolleanus* Fr., 1818.= *Hypholoma candolleanum* (Fr.) Quél., 1872.= *Agaricus appendiculatus* Bull., 1789.= *Hypholoma appendiculatum* (Bull.) Quél., 1872.

Dist: T, MNES, CBA, BA, TF, AP

Ref: Horak (1967), Ramadori (1992, 1995), Raithelhuber (1974, 1988, 1991, 2000a, 2004), Singer (1969), Singer & Digilio (1952), Spegazzini (1880c, 1887a, 1887b, 1919, 1926a, 1926b), Wright & Albertó (2002).

Psathyrella candolleana f. **pallida** Raithelh., *Hong. Argentin.* **2**: 128, 1977.

Dist: RN

Ref: Raithelhuber (1977).

Psathyrella corrugis (Pers.) Konrad & Maubl., *Encycl. Mycol.* **14**: 123, 1949 [1948].Bas: *Agaricus corrugis* Pers., 1794.= *Psathyrella caudata* (Fr.) Quél., 1872.

Dist: CBA

Ref: Spegazzini (1926a).

Psathyrella conopilus (Fr.) A. Pearson & Dennis, *Trans. Br. Mycol. Soc.* **31**: 185, 1949.Bas: *Agaricus conopilus* Fr., 1821.= *Agaricus aratus* Berk., 1860.

Dist: BA

Ref: Albertó et al. (1996), Moreno & Albertó (1996), Raithelhuber (2004), Spegazzini (1880a), Wright & Albertó (2002).

Psathyrella dactylocystis f. latispora Singer, *Beih. Nova Hedwigia* **29**: 189, 1969.

Dist: N, RN

Ref: Raithelhuber (1977), Singer (1969).

Obs: *Psathyrella dactylocystis* is considered a synonym of *P. falklandica* (Horak, 1980). However we cited them as were originally published since the combination of the variety has not been done.

Psathyrella dactylocystis f. rugulosiceps Singer, *Beih. Nova Hedwigia* **29**: 189, 1969.

Dist: N

Ref: Singer (1969).

Obs: *Psathyrella dactylocystis* is considered a synonym of *P. falklandica* (Horak, 1980). However we cited them as were originally published since the combination of the variety has not been done.

Psathyrella falklandica Cotton, *J. Linn. Soc., Bot.* **43**: 233, 1905.

= *Psathyrella subandina* Singer, 1969.

= *Psathyrella dactylocystis* Singer, 1969.

Dist: N, RN, TF, IM

Ref: Horak (1980), Raithelhuber (1977, 1988, 1991, 2004), Singer (1969).

Psathyrella fuegiana E. Horak, *Darwiniana* **14**(2-3): 368, 1967.

Dist: TF

Ref: Horak (1967, 1980), Raithelhuber (1988, 1991, 2004), Spegazzini (1925).

Psathyrella galerinoides A.H. Sm., *Mem. New York Bot. Gard.* **24**: 297, 1972.

Dist: TF

Ref: Horak (1980), Raithelhuber (1988, 1991, 2004)

Psathyrella gracilis (Fr.) Quél., *Mém. Soc. Émul. Montbéliard*, Sér. 2 **5**: 122, 1872.

Bas: *Agaricus gracilis* Fr., 1821.

Dist: TF

Ref: Horak (1967). Spegazzini (1925).

Psathyrella horakiana Raithelh., *Metrodiana, Sonderh.* **4**: 16, 1990.

= *Psathyrella sphagnicola* (Maire) J. Favre sensu Horak, 1980.

Dist: TF

Ref: Horak (1980), Raithelhuber (1988, 1991, 2004).

Psathyrella hydrophora (Bull.) Fr., *Syll. fung.* **5**: 1129, 1887.

Bas: *Agaricus hydrophorus* Bull., 1793.

Dist: MZA, BA

Ref: Spegazzini (1899).

Psathyrella marthae Singer, *Beih. Nova Hedwigia* **29**: 183, 1969.

Dist: N, RN, TF

Ref: Horak (1980), Raithelhuber (1977, 1988, 1991, 2004), Singer (1969).

Psathyrella marthae var. **acutissima** (Singer) Raithelh., *Nueva flora Micologica Argentina*: 261, 2004.

Bas: *Psathyrella acutissima* Singer, 1969.

Dist: RN

Ref: Raithelhuber (1988, 1991, 2004), Singer (1969).

Psathyrella metuloidophora Singer, *Beih. Sydowia* **7**: 72, 1973.

Dist: T

Ref: Raithelhuber (1991, 2004), Singer (1973).

Psathyrella moseri Singer, *Beih. Nova Hedwigia* **29**: 187, 1969.

Dist: N, TF

Ref: Horak (1980), Raithelhuber (1977, 1988), Singer (1969).

Psathyrella obtusata (Pers.) A.H. Sm., *Contr. Univ. Michigan Herb.* **5**: 55, 1941.

Bas: *Agaricus obtusatus* Pers., 1801.

= *Psathyra obtusata* var. *obtusata* (Pers.) Gillet, 1878.

Dist: CBA

Ref: Spegazzini (1926a).

Psathyrella pampeana Speg., *Anales Mus. Nac. Buenos Aires* **6**: 153, 1899.

Dist: BA

Ref: Farr (1973), Spegazzini (1899).

Psathyrella patagonica Singer, *Beih. Nova Hedwigia* **29**: 194, 1969.

Dist: N, RN, TF

Ref: Horak (1980), Raithelhuber (1977, 1988, 1991, 2004), Singer (1969).

Psathyrella pennata (Fr.) A. Pearson & Dennis, *Trans. Br. Mycol. Soc.* **31**: 184, 1948.

Bas: *Agaricus pennatus* Fr., 1821.

Dist: RN, TF

Ref: Raithelhuber (1988, 1991, 2004), Singer (1969).

Psathyrella phaeocystidiata Singer, *Beih. Sydowia* **7**: 73, 1973.

Dist: J

Ref: Raithelhuber (1988, 1991, 2004), Singer (1973).

Psathyrella phyllophila Raithelh., *Hong. Argentin.* **1**: 147, 1974.

Dist: BA

Ref: Raithelhuber (1974, 1988, 1991, 2004), Ramadori (1992).

Psathyrella piluliformis (Bull.) P.D. Orton, *Notes Roy. Bot. Gard. Edinburgh* **29**: 116, 1969.

Bas: *Agaricus piluliformis* Bull., 1783.

= *Hypholoma hydrophilum* (Bull.) Quél., 1872.

Dist: T, CBA, BA

Ref: Spegazzini (1899, 1919, 1926a).

Psathyrella platensis Speg., *Anales Mus. Nac. Buenos Aires* **6**: 154, 1899.

Dist: BA

Ref: Farr (1973), Spegazzini (1899, 1926b).

Psathyrella polycystidiosa Singer, *Beih. Nova Hedwigia* **29**: 190, 1969.

Dist: N, RN

Ref: Raithelhuber (1977, 1991, 2004), Singer (1969).

Psathyrella polycystidiosa var. **exumbonata** Singer, *Beih. Nova Hedwigia* **29**: 190, 1969.

Dist: N

Ref: Singer (1969).

Psathyrella polycystidiosa var. **minor** Singer, *Beih. Nova Hedwigia* **29**: 190,(196).

Dist: N

Ref: Singer (1969).

Psathyrella reticulata (Romagn.) M.M. Moser ex Singer, *Beih. Nova Hedwigia* **29**: 196, 1969.

Bas: *Drosophila reticulata* Romagn., 1952.

Dist: N, RN

Ref: Raithelhuber (1988, 1991, 2004), Singer (1969).

Psathyrella riparia Singer, *Beih. Sydowia* **7**: 74. 1973.

Dist: CTES

Ref: Raithelhuber (1988, 1991, 2004), Singer (1973).

Psathyrella spintrigera (Fr.) Konrad & Maubl., *Encycl. Mycol.* **14**: 128, 1949 [1948].

Bas: *Agaricus spintriger* Fr.. 1838.

= *Stropharia spintrigera* (Fr.) Quél.. 1884.

Dist: CBA

Ref: Spegazzini (1926a).

Psathyrella stelzeri Raithelh., *Hong. Argentin.* **1**: 147, 1974.

Dist: BA

Ref: Raithelhuber (1974, 1988, 1991, 2004).

Psathyrella subannulata Raithelh., *Hong. Argentin.* **2**: 128, 1977.

Dist: BA, RN

Ref: Raithelhuber (1977, 1988, 1991, 2004).

Psathyrella subdisseminata Speg., *Bol. Acad. Ci. (Córdoba)* **28**: 345, 1926.

Dist: T, BA

Ref: Farr (1973), Spegazzini (1926b).

Psathyrella subprona Singer, *Beih. Nova Hedwigia* **29**: 193, 1969.

Dist: N, RN, CHU

Ref: Raithelhuber (1977, 1988, 1991, 2004), Singer (1969).

Psathyrella tilcariensis Singer, *Beih. Nova Hedwigia* **29**: 192, 1969.

Dist: J

Ref: Raithelhuber (1988, 1991, 2004), Singer (1969).

Psathyrella tristezae Raithelh., *Metrodiana, Sonderh.* **4**: 16, 1990.

= *Psathyrella prona* f. *prona* (Fr.) Gillet sensu Singer, 1969.

Dist: RN

Ref: Raithelhuber (1977, 1988, 1990, 1991, 2004), Singer (1969).

Psathyrella tristis Singer, *Beih. Nova Hedwigia* **29**: 197, 1969.

Dist: RN

Ref: Raithelhuber (1977, 1988, 1991, 2004), Singer (1969).

Psathyrella umbratica Peck, *Syll. fung.* **5**: 1137, 1887.

Dist: CBA

Ref: Spegazzini (1926a).

STROPHARIACEAE

Flammula (Fr.) P. Kumm [= Pholiota (Fr.) P. Kumm]

Flammula argentina Speg., *Anales Mus. Nac. Buenos Aires* **6**: 129, 1899 [1898].

Dist: BA

Ref: Singer (1950a), Spegazzini (1899).

Flammula brasiliensis Fr., *Syll. fung.* **5**: 814, 1887.

Dist: SGO

Ref: Spegazzini (1926b).

Flammula carbonaria var. **spegazziniana** Traverso, *Syll. fung.* **23**: 262, 1925.

= *Flammula carbonaria* Fr. sensu Speg., 1912.

Dist: ER

Ref: Spegazzini (1912).

Flammula cortinata (DC.) Sacc., *Syll. fung.* **5**: 817, 1887.

Bas: *Agaricus cortinatus* DC., 1815.

Dist: RN

Ref: Spegazzini (1909).

Flammula fusa (Batsch) P. Kumm., *Führ. Pilzk.* (Zwickau): 82, 1871.

Bas: *Agaricus fusus* Batsch, 1789.

= *Pholiota fusa* (Batsch) Singer, 1951 [1949].

Dist: BA

Ref: Raithelhuber (1991, 2004).

Flammula Inopoda (Fr.) Sacc., *Syll. fung.* **5**: 821, 1887.

Dist: TF

Ref: Spegazzini (1925).

Flammula saltensis Speg., *Anales Mus. Nac. Buenos Aires* **6**: 130, 1899 [1898].

Dist: S

Ref: Singer (1950a), Spegazzini (1899).

Flammula sapinea var. **livescens** Speg., *Bol. Acad. Ci. (Córdoba)* **29**(2-3): 127, 1926.

Dist: CBA

Ref: Spegazzini (1926a).

Hypoloma (Fr.) P. Kumm. [= Psilocybe (Fr.) P. Kumm.]**Hypoloma capnoides** (Fr.) P. Kumm., *Führ. Pilzk.* (Zwickau): 72, 1871.Bas: *Agaricus capnoides* Fr., 1818.

Dist: BA

Ref: Ramadori (1985c).

Hypoloma castilloi (Singer) Raithelh., *Metrodiana* 9(2): 47, 1980.Bas: *Naematoloma castilloi* Singer, 1969.

Dist: RN

Ref: Raithelhuber (1977, 1988, 1991, 2004).

Hypoloma elongatipes (Peck) A.H. Sm., *Mycologia* 33(1): 5, 1941.Bas: *Psilocybe elongatipes* Peck, 1875 [1874].= *Naematoloma elongatipes* (Peck) Singer, 1951.

Dist: N, RN, TF

Ref: Horak (1980), Raithelhuber (1988, 1991, 2004), Singer (1954, 1969), Singer & Digilio (1952).

Hypoloma fasciculare (Huds.) P. Kumm., *Führ. Pilzk.* (Zwickau): 21, 1871.Bas: *Agaricus fascicularis* Huds., 1778.= *Naematoloma fasciculare* (Huds.) P. Karst., 1880 [1879].

Dist: S, T, ER, BA

Ref: Raithelhuber (1988, 1991, 2004), Singer (1969), Singer & Digilio (1952), Spegazzini (1881), Wright & Albertó (2002).

Hypoloma fasciculare var. **mitis** Raithelh., *Metrodiana* 9(2): 47, 1980.

Dist: N, RN

Ref: Raithelhuber (1977, 1988, 1991, 2004).

Hypoloma fowardii (Speg.) Garrido, *Biblioth Mycol.* 99: 135, 1985.Bas: *Agaricus fowardii* Speg., 1887.= *Flammula fowardii* (Speg.) Sacc., 1891.= *Pholiota fowardii* (Speg.) E. Horak, 1967= *Naematoloma fowardii* (Speg.) E. Horak, 1980 [1979].

Dist: AP, TF

Ref: Gamundi & Horak (2002), Horak (1967, 1980), Raithelhuber (1985, 1988, 1991, 2004), Singer (1950a, 1969), Spegazzini (1887a, 1925).

Hypoloma intonsum Pass., *Syll. fung.* 5: 1036, 1887.

Dist: BA

Ref: Spegazzini (1899).

Hypholoma megapotamicum (Speg.) Sacc, *Syll. fung.* 5: 1030, 1887.

Bas: *Agaricus (Hypholoma) fascicularis* Huds. * *megapotamicum* Speg., 1881.

Dist: BA

Ref: Spegazzini (1881, 1899).

Hypholoma myosotis (Fr.) M. Lange, *Meddr Grønland* 148(2): 64, 1955.

Bas: *Agaricus myosotis* Fr., 1818.

= *Naematoloma myosotis* (Fr.) A.H. Sm., 1950.

= *Naematoloma myosotis* var. *lapponicum* (Fr.) Singer, 1952 [1951].

Dist: N, RN, TF

Ref: Horak (1980), Raithelhuber (1988, 1991, 2004), Singer (1954, 1969), Singer & Digilio (1952).

Hypholoma nodipes Speg., *Bol. Acad. Ci. (Córdoba)* 28: 335, 1926.

Dist: BA

Ref: Spegazzini (1926b).

Hypholoma puiggarii (Speg.) Raithelh., *Metrodiana* 11(2): 50, 1985.

Bas: *Flammula puiggarii* Speg., 1889.

= *Naematoloma puiggarii* (Speg.) Singer, 1969.

Dist: ER, BA

Ref: Raithelhuber (1985, 1988, 1991, 2000a, 2004), Singer (1969), Wright & Albertó (2002).

Hypholoma radicosoides Raithelh., *Metrodiana, Sonderh.* 4: 10, 1990.

Dist: TF

Ref: Raithelhuber (1990, 1991, 2004).

Hypholoma stellula Speg., *Anales Mus. Nac. Buenos Aires* 6: 150, 1899 [1898].

Dist: BA

Ref: Spegazzini (1899).

Hypholoma sublateritium (Schaeff.) Quél., *Mém. Soc. Émul. Montbéliard, Sér. 2* 5: 113, 1873 [1872].

Bas: *Agaricus sublateritius* Schaeff., 1774.

= *Naematoloma sublateritium* (Schaeff.) P. Karst., 1879.

Dist: BA, TF

Ref: Raithelhuber (2004), Ramadori (1985b), Singer (1954, 1969), Wright & Albertó (2002).

Hypholoma sublateritium var. **aranoides** Raithelh., *Fl. Mycol. Argentina*, Hongos III (Stuttgart): 228, 1991.

Dist: ND

Ref: Raithelhuber (1991).

Obs: Raithelhuber (1991) described this species from Argentina, but not specificity the province.

Hypoloma trinitense (Dennis) Pegler, *Kew Bull., Addit. Ser.* **9**: 509, 1983.

Bas: *Pholiota trinitensis* Dennis, 1970.

Dist: MNES

Ref: Lechner et al. (2006), Wright et al. (2008), Wright & Wright (2005).

Kuehneromyces Singer & A.H. Sm. [= Pholiota (Fr.) P. Kumm.]

Kuehneromyces cystidiosus Singer, *Sydowia* **7**: 221, 1953.

Dist: N, RN, TF

Ref: Horak (1980), Raithelhuber (1988, 1991, 2004), Singer (1953a, 1954, 1969), Singer & Digilio (1952).

Kuehneromyces macrosporus Singer, *Sydowia* **7**: 220, 1953.

Dist: N, RN, TF

Ref: Raithelhuber (1988, 1991, 2004), Singer (1953a, 1954, 1969), Singer & Digilio (1952).

Kuehneromyces nudus Singer, *Schweiz. Z. Pilzk.* **28**: 194, 1950.

Dist: T

Ref: Raithelhuber (1988, 1991, 2004), Singer (1950b), Singer & Digilio (1952).

Kuehneromyces pseudoblattaria E. Horak, *Darwiniana* **14**(2-3): 370, 1967.

Dist: CHU

Ref: Horak (1967).

Melanotus Pat. [= Psilocybe (Fr.) P. Kumm.]

Melanotus cassiaeolor (Berk.) Singer, *Sydowia* **6**(5-6): 348, 1952.

Bas: *Crepidotus cassiaeolor* (Berk.) Sacc., 1887.

Dist: T, N

Ref: Raithelhuber (2004), Singer (1969).

Melanotus eccentricus (Murrill) Singer, *Lilloa* **13**: 87, 1947.

Bas: *Crepidotus eccentricus* Murrill, 1917.

Dist: MNES

Ref: Wright & Wright (2005).

Melanotus gayi (Pilát) Singer, *Beih. Nova Hedwigia* **29**: 258, 1969.

Bas: *Crepidotus gayi* Pilát, 1950.

Dist: T, N, RN

Ref: Raithelhuber (1988, 1991), Singer (1969).

Melanotus horizontalis (Bull.) P.D. Orton, *Notes Roy. Bot. Gard. Edinburgh* **41**(3): 595, 1984.

Bas: *Agaricus horizontalis* Bull., 1788 [1787-88].

= *Naucoria horizontalis* (Bull.) Sacc., 1887.

Dist: BA

Ref: Spegazzini (1926b).

Melanotus patagonicus Singer, *Beih. Nova Hedwigia* **29**: 258, 1969.

Dist: N, RN

Ref: Raithelhuber (1988, 1991), Singer (1969).

Melanotus polylepidis Singer, *Beih. Sydowia* **7**: 84, 1973.

Dist: J

Ref: Raithelhuber (1988, 1991), Singer (1973).

Melanotus subvariabilis (Speg.) Singer, *Lilloa* **22**: 511, 1951 [1949].

Bas: *Claudopus subvariabilis* Speg., 1889.

Dist: “Argentina”.

Ref: Farr (1973), Singer (1950a, 1953b).

Naematoloma P. Karst. [= Psilocybe (Fr.) P. Kumm.]

Naematoloma castilloi Singer, *Beih. Nova Hedwigia* **29**: 236, 1969.

Dist: RN

Ref: Singer (1969).

Naematoloma tortipes (Speg.) Guzmán, *Mycotaxon* **6**(3): 476, 1978.

Bas: *Psilocybe tortipes* Speg., 1899.

Dist: BA

Ref: Farr (1973), Guzmán (1978), Spegazzini (1899).

Pachylepyrium Singer

Pachylepyrium fulvidula (Singer) Singer, *Sydowia* **11**: 321, 1958 [1957].

Bas: *Phaeomarasmius fulvidulus* Singer, 1952 [1951].

Dist: T

Ref: Raithelhuber (1988, 1991, 2004), Singer & Digilio (1952).

Phaeogalera Kühner

Phaeogalera stagnina (Fr.) Pegler & T.W.K. Young, *Bull. Trimestriel Soc. mycol. France* **88**: 151, 1973.

Bas: *Agaricus stagninus* Fr., 1821.

= *Tubaria stagnina* (Fr.) Gillet, 1876.

= *Galerina stagnina* (Fr.) Kühner 187, 1935.

Dist: TF

Ref: Horak (1967, 1980), Raithelhuber (1988, 1991, 2004), Spegazzini (1922).

Phaeomarasmius Scherff.

Phaeomarasmius ciliatus Singer, *Sydotia* **7**: 250, 1953.

Dist: MNES, N, RN, TF

Ref: Horak (1980), Raithelhuber (1988, 1991, 2004), Singer (1953a, 1954, 1969), Singer & Digilio (1952), Wright et al. (2008), Wright & Wright (2005).

Phaeomarasmius crystallophorus (Speg.) Singer, *Lilloa* **25**: 389, 1952 [1951].

Bas: *Galera crystallophora* Speg., 1899 [1898].

Dist: BA

Ref: Farr (1973), Singer (1950a), Singer & Digilio (1952), Spegazzini (1899).

Obs: NVP

Phaeomarasmius distans (Peck) Singer, *Lilloa* **13**: 83, 1947.

Bas: *Cortinarius distans* Peck, 1873.

Dist: N, RN

Ref: Raithelhuber (1988, 1991, 2004), Singer (1954, 1969).

Phaeomarasmius fuscomarginatus Singer, *Beih. Nova Hedwigia* **29**: 294, 1969.

Dist: RN, TF

Ref: Horak (1980), Raithelhuber (1988, 1991, 2004).

Phaeomarasmius limulatellus Singer, *Sydotia* **7**: 254, 1953.

Dist: N, RN, TF

Ref: Horak (1980), Raithelhuber (1988, 1991, 2004), Singer (1953a, 1954, 1969), Singer & Digilio (1952).

Phaeomarasmius malvacearum Singer, *Lilloa* **25**: 389, 1952 [1951].

Dist: T

Ref: Raithelhuber (1988, 1991, 2004), Singer & Digilio (1952).

Phaeomarasmius mucronosporus Singer, *Beih. Nova Hedwigia* **29**: 293, 1969.

Dist: N, RN, TF

Ref: Horak (1980), Raithelhuber (1988, 1991, 2004), Singer (1969).

Phaeomarasmius myrceugenellae Singer, *Beih. Nova Hedwigia* **29**: 298, 1969.

Dist: N

Ref: Raithelhuber (1988, 1991, 2004), Singer (1969).

Phaeomarasmius rostratus Singer, *Sydowia* **7**: 252, 1953.

Dist: N, RN, TF

Ref: Singer (1953a, 1954, 1969), Singer & Digilio (1952).

Phaeomarasmius subincarnatus var. **gilvus** Singer, *Beih. Nova Hedwigia* **29**: 292, 1969.

Dist: RN

Ref: Raithelhuber (1988, 1991, 2004), Singer (1969).

Pholiota (Fr.) P. Kumm.

Pholiota abstrusa (Fr.) Singer, *Lilloa* **22**: 516, 1951 [1949].

Bas: *Agaricus abstrusus* Fr., 1874.

= *Naucoria abstrusa* (Fr.) Sacc., 1887.

Dist: TF

Ref: Spegazzini (1925).

Pholiota alnea Singer, *Lilloa* **25**: 336, 1952 [1951].

Dist: T

Ref: Raithelhuber (1988, 1991, 2004), Singer & Digilio (1952).

Pholiota apiahyna Speg., *Bol. Acad. Nac. Ci. Republ. Argent.* **23**: 392, 1919.

Dist: CBA, BA

Ref: Farr (1973), Raithelhuber (1988, 1991, 2004), Singer (1950a).

Pholiota ascophora (Peck) Singer, *Beih. Nova Hedwigia* **29**: 266, 1969.

Bas: *Agaricus ascophorus* Peck, 1871.

Dist: T

Ref: Raithelhuber (1988, 1991, 2004), Singer (1969).

Pholiota aurantioalbida Singer, *Beih. Nova Hedwigia* **29**: 259, 1969.

Dist: RN, TF

Ref: Horak (1980), Raithelhuber (1988, 1991, 2004), Singer (1969).

Pholiota aurivella var. **squarrosipes** Singer, *Lilloa* **25**: 335, 1952 [1951].

Dist: T

Ref: Raithelhuber (1988, 1991, 2004), Singer & Digilio (1952).

Pholiota baeosperma Singer, *Sydotia* **7**: 217, 1953.

Dist: N, RN, TF

Ref: Gamundi & Horak (2002), Horak (1980), Raithelhuber (1988, 1991, 2004), Singer (1953a, 1954, 1969), Singer & Digilio (1952).

Pholiota bicolor (Speg.) Singer, *Lilloa* **22**: 517, 1951 [1949].

Bas: *Flammula bicolor* Speg., 1889.

Dist: T

Ref: Farr (1973), Raithelhuber (1988, 1991, 2004), Singer & Digilio (1952).

Pholiota calendulina Singer, *Lilloa* **25**: 337, 1952 [1951].

Dist: T

Ref: Raithelhuber (1988, 1991, 2004), Singer & Digilio (1952).

Pholiota chacoensis Speg., *Bol. Acad. Ci. (Córdoba)* **28**: 309, 1926.

Dist: CH

Ref: Farr (1973), Singer (1950a, 1951), Spegazzini (1926b).

Pholiota digiloi Singer, *Lilloa* **25**: 498, 1952 [1951].

Dist: T

Ref: Raithelhuber (1988, 1991, 2004), Singer & Digilio (1952).

Obs: NVP

Pholiota flavidula (Schaeff.) Singer, *Lilloa* **22**: 516, 1951 [1949].

Bas: *Agaricus flavidus* Schaeff., 1774.

= *Flammula flavidula* (Schaeff.) Fr., 1801.

Dist: TF

Ref: Spegazzini (1926b).

Pholiota formosa Speg., *Bol. Acad. Ci. (Córdoba)* **28**: 311, 1926.

Dist: BA

Ref: Farr (1973), Singer (1950a, 1951), Spegazzini (1926b).

Pholiota glutinigera Singer, *Mycologia* **51**(4): 585, 1960.

Dist: T

Ref: Singer (1959).

Pholiota gymnopiloides Raithelh., *Hong. Argentin.* **1**: 147, 1974.

Dist: BA

Ref: Ramadori (1992), Raithelhuber (1974, 1988, 1991, 2004).

Pholiota highlandensis (Peck) A.H. Sm. & Hesler, *The North American species of Pholiota*: 287, 1968.

Bas: *Agaricus highlandensis* Peck, 1872 [1871].

= *Pholiota carbonaria* (Fr.) Singer, 1951 [1949].

Dist: T, BA, RN

Ref: Raithelhuber (1974, 1977, 1988, 1991, 2004), Singer (1969), Singer & Digilio (1952), Wright & Albertó (2002).

Pholiota meliaphila Raithelh., *Metrodiana, Sonderh.* **5**: 55, 2000.

Dist: BA

Ref: Raithelhuber (2000b, 2004).

Pholiota megalosperma Singer, *Sydotwia* **7**: 216, 1953.

Dist: N, RN, TF

Ref: Horak (1980), Raithelhuber (1988, 1991, 2004), Singer (1953a, 1954, 1969), Singer & Digilio (1952).

Pholiota microcarpa Singer, *Beih. Nova Hedwigia* **29**: 277, 1969.

Dist: N, RN

Ref: Raithelhuber (1977, 1988, 1991, 2004), Singer (1969).

Pholiota montana Singer, *Mycopathol. Mycol. Appl.* **26**: 169, 1965.

Dist: RN, TF

Ref: Horak (1980), Raithelhuber (1988, 1991, 2004), Singer (1969).

Pholiota novembris Singer, *Beih. Nova Hedwigia* **29**: 267, 1969.

Dist: RN

Ref: Raithelhuber (1977), Singer (1969).

Pholiota ochrospora Raithelh., *Hong. Argentin.* **1**: 147, 1974.

Dist: BA

Ref: Ramadori (1992), Raithelhuber (1974, 1988, 1991, 2004).

Pholiota privigna (Speg.) Singer, *Kew Bull.* **15**(1): 139, 1961.

Bas: *Tubaria privigna* Speg., 1891.

Dist: TF

Ref: Farr (1973), Horak (1967, 1980), Raithelhuber (1988, 1991, 2004), Singer (1951, 1969), Spegazzini (1887b).

Pholiota psathyrelloides Singer, *Beih. Nova Hedwigia* **29**: 276, 1969.

Dist: N, RN, TF

Ref: Horak (1980), Raithelhuber (1977, 1988, 1991, 2004), Singer (1969).

Pholiota pseudofascicularis Speg., *Anales Mus. Nac. Buenos Aires* **6**: 122, 1899 [1898].

= *Inocybe caespitosella* Speg., 1926.

Dist: BA

Ref: Farr (1973), Raithelhuber (1991, 2004), Singer (1950a, 1951), Singer & Digilio (1952), Spegazzini (1899, 1926b).

Pholiota spumosa (Fr.) Singer, *Lilloa* **22**: 517, 1951 [1949].

Bas: *Agaricus spumosus* Fr., 1821.

= *Flammula spumosa* (Fr.) P. Kumm., 1871.

Dist: BA

Ref: Singer (1969), Spegazzini (1926b).

Pholiota spumosa var. **crassitunica** Singer, *Beih. Nova Hedwigia* **29**: 272, 1969.

Dist: BA, MZA, N, RN, TF, ANT

Ref: Raithelhuber (1974, 1977, 1988, 1991, 2004), Singer (1969).

Pholiota subflammans (Speg.) Sacc., *Syll. fung.* **9**: 91, 1891.

Bas: *Agaricus (Pholiota) subflammans* Speg., 1887.

Dist: N, RN, TF

Ref: Farr (1973), Horak (1967, 1980), Raithelhuber (1977, 1988, 1991, 2004), Singer (1950a, 1951, 1953a, 1969), Singer & Digilio (1952), Spegazzini (1887a, 1887b).

Pleuroflammula Singer

Pleuroflammula bruchii (Speg.) Singer, *Lilloa* **23**: 218, 1952 [1950].

Bas: *Crepidotus bruchii* Speg., 1926.

Dist: CBA

Ref: Farr (1973), Singer (1947, 1950a), Singer & Digilio (1952), Spegazzini (1926a).

Pleuroflammula croceosanguinea (Mont.) Singer, *Beih. Nova Hedwigia* **29**: 283, 1969.

Bas: *Agaricus croceosanguineus* Mont., 1850.

Dist: N, RN

Ref: Horak (1978), Raithelhuber (1977, 1988, 1991), Singer (1969).

Pleuroflammula ragazziana (Bres.) E. Horak, *Persoonia* **9**(4): 443, 1978.

Bas: *Crepidotus ragazzianus* Bres., 1892.

= *Pleuroflammula hibernianus* (A. Pearson & Dennis) Singer, 1962 [1961].

Dist: ND

Ref: Singer (1969).

Obs: Singer (1969) cited this species from Argentina, but did not specify which province.

Psilocybe (Fr.) P. Kumm.

Psilocybe aggericola Singer & A.H. Sm., *Mycologia* **50**(1): 142, 1958.

Dist: T

Ref: Guzmán (1978).

Psilocybe alnetorum (Singer) Singer, *Mycologia* **51**(4): 583, 1959.

Bas: *Deconica alnetorum* Singer, 1952 [1951].

Dist: J, T

Ref: Guzmán (1978), Raithelhuber (1988, 1991, 2004), Singer (1959), Singer & Digilio (1952).

Psilocybe araucana Singer, *Beih. Nova Hedwigia* **29**: 239, 1969.

Dist: N, RN

Ref: Raithelhuber (1977, 1988, 1991, 2004), Singer (1969).

Psilocybe argentina (Speg.) Singer, *Beih. Nova Hedwigia* **29**: 241, 1969.

Bas: *Deconica argentina* Speg., 1899.

Dist: BA

Ref: Farr (1973), Guzmán (1978), Raithelhuber (1974, 1988, 1991, 2004), Singer (1969), Spegazzini (1899).

Psilocybe caerulescens Murrill, *Mycologia* **15**(1): 20, 1923.

Dist: T

Ref: Singer & Digilio (1952).

Psilocybe chrysocystidiata Singer, *Beih. Sydowia* **7**: 82, 1973.

Dist: T

Ref: Raithelhuber (1991, 2004).

Psilocybe collybioides Singer & A.H. Sm., *Mycologia* **50**(1): 141, 1958.

Dist: T

Ref: Guzmán (1983).

Psilocybe coprophila (Bull.) P. Kumm., *Führ. Pilzk.* (Zwickau): 71, 1871.

Bas: *Agaricus coprophilus* Bull., 1793 [1792-93].

= *Deconica coprophila* (Bull.) Fr., 1821.

Dist: CBA, BA, TF, IM

Ref: Horak (1980), Raithelhuber (1988, 1991, 2004), Spegazzini (1887b, 1899, 1925, 1926a),
Watling & Richardson (2010).

Psilocybe cordobensis Singer, *Beih. Sydowia* 7: 83, 1973.

Dist: J, CBA

Ref: Raithelhuber (1988, 1991, 2004), Singer (1973).

Psilocybe cubensis (Earle) Singer, *Sydowia* 2: 37, 1948.

Bas: *Stropharia cubensis* Earle, 1906.

Dist: ER, BA, IM

Ref: Guzmán (1978), Moreno & Albertó (1996), Singer (1960), Watling & Richardson (2010),
Wright & Albertó (2002).

Psilocybe dunicola (Speg.) Singer, *Mycopathol. Mycol. Appl.* 34: 137, 1968.

Bas: *Stropharia dunicola* Speg., 1899.

Dist: BA

Ref: Farr (1973), Singer (1968, 1969), Spegazzini (1899).

Psilocybe ecbola (Fr.) Singer, *Beih. Nova Hedwigia* 29: 254, 1969.

Bas: *Agaricus inquilinus* var. *ecbolus* Fr., 1874.

Dist: N, RN

Ref: Raithelhuber (1977, 1988, 1991), Singer (1969).

Psilocybe fuegiana (E. Horak) Singer, *Beih. Nova Hedwigia* 29: 256, 1969.

Bas: *Deconica fuegiana* E. Horak, 1967.

Dist: N, TF

Ref: Horak (1980), Raithelhuber (1988, 1991, 2004), Singer (1969), Spegazzini (1925).

Psilocybe hoogshagenii R. Heim, *Rev. Mycol. (París)* 24: 103, 1959.

Dist: BA

Ref: Guzmán (1978).

Psilocybe horakii Guzmán, *Mycotaxon* 7(2): 244, 1978.

Dist: J

Ref: Guzmán (1978).

Psilocybe inquilina (Fr.) Bres., *Iconogr. Mycol. (Milan)* **18**: 863, 1931.

Bas: *Agaricus inquilinus* Fr., 1818.

= *Tubaria inquilina* (Fr.) Gillet, 1874.

Dist: S, AP

Ref: Raithelhuber (1991, 2004), Spegazzini (1909).

Psilocybe jujuyensis Singer, *Beih. Sydowia* **7**: 82, 1973.

Dist: J, CBA

Ref: Raithelhuber (1991, 2004), Singer (1973).

Psilocybe mesospora Singer, *Beih. Nova Hedwigia* **29**: 245, 1969.

Dist: N

Ref: Raithelhuber (1988, 1991), Singer (1969).

Psilocybe moelleri Guzmán, *Mycotaxon* **7**(2): 245, 1978.

= *Psilocybe merdaria* (Fr.) Ricken, 1912.

= *Stropharia merdaria* (Fr.) Quél., 1872.

= *Psilocybe merdaria* var. *macrospora* (F.H. Møller) Singer, 1969.

Dist: S, T, BA, IM

Ref: Guzmán (1978), Horak (1967), Raithelhuber (1991, 2004), Singer (1969), Spegazzini (1899, 1926b), Watling & Richardson (2010).

Psilocybe omiumsanctorum Singer, *Beih. Nova Hedwigia* **29**: 249, 1969.

Dist: N, RN

Ref: Raithelhuber (1977, 1988, 1991), Singer (1969).

Psilocybe pegleriana Guzmán, *Doc. Mycol.* **29**(116): 43, 2000.

Dist: CBA

Ref: Moyano & Daniele (2003).

Psilocybe praetervisa Singer, *Beih. Nova Hedwigia* **29**: 244, 1969.

Dist: N

Ref: Raithelhuber (1991, 2004), Singer (1969).

Psilocybe pteridophytorum Singer, *Mycologia* **51**(4): 582, 1960.

Dist: T

Ref: Singer (1959).

Psilocybe squalens (Fr.) P. Karst., *Syll. fung.* **5**: 1054, 1887.

Bas: *Agaricus squalens* Fr., 1838.

Dist: MNES

Ref: Spegazzini (1926b).

Psilocybe squarrosipes Singer, *Mycologia* **51**(4): 580, 1960.

Dist: T

Ref: Singer (1959).

Psilocybe subalnetorum Guzmán & E. Horak, *Mycotaxon* **7**(3): 521, 1978.

Dist: T

Ref: Guzmán & Horak (1978).

Psilocybe subcoprophila (Britzelm.) Sacc., *Syll. fung.* **11**: 72, 1895.

Bas: *Agaricus subcoprophilus* Britzelm., 1891.

= *Deconica subcoprophila* (Britzelm.) E. Horak, 1967.

Dist: TF, IM

Ref: Horak (1980), Raithelhuber (1988, 1991, 2004), Singer (1969), Watling & Richardson (2010).

Psilocybe uda (Pers.) Gillet, *Hyménomycètes* (Alençon): 586, 1878.

Dis: SC

Ref: Horak (1967).

Obs: According to Horak (1967) this species is a species dubiae.

Psilocybe wrightii Guzmán, *Mycotaxon* **7**(2): 251, 1978.

Dist: T

Ref: Guzmán (1978, 1983).

Stagnicola Redhead & A.H. Sm.

Stagnicola perplexa (P.D. Orton) Redhead & A.H. Sm., *Can. J. Bot.* **64**(3): 645, 1986.

Bas: *Phaeocollybia perplexa* P.D. Orton, 1977.

= *Panaeolus sphinctrinus* var. *minor* (Fr.) Singer, 1960.

Dist: N

Ref: Singer (1969).

Stropharia (Fr.) Quél.

Stropharia aeruginosa var. **neuquensis** M.M. Moser & Singer, *Beih. Nova Hedwigia* **29**: 229, 1969.

Dist: N, RN

Ref: Raithelhuber (1977, 1988, 1991, 2004), Singer (1969).

Stropharia agrocyboides (Raithelh.) Raithelh., *Nueva Flora Micológica Argentina*: 243, 2004.

Bas: *Hypholoma agrocyboides* Raithelh., 1974.

Dist: BA

Ref: Raithelhuber (1988, 1991, 2004).

Stropharia aurantiaca (Cooke) M. Imai, *J. Coll. Agric., Hokkaido Imp. Univ.* **43**: 267, 1938.

Bas: *Agaricus thraustus* var. *aurantiacus* Cooke, 1885.

Dist: BA

Ref: Moreno & Albertó (1996).

Stropharia bruchii Speg., *Bol. Acad. Ci. (Córdoba)* **29**(2-3): 131, 1926.

Dist: CBA

Ref: Farr (1973), Spegazzini (1926a).

Stropharia coronilla (Bull.) Quél., *Mém. Soc. Émul. Montbéliard*, Sér. 2 **5**: 110, 1872.

= *Agaricus coronilla* Bull. ex DC., 1805.

Dist: T, CBA, BA, RN

Ref: Ramadori (1992), Raithelhuber (1974, 1988, 1991, 2004), Singer (1969), Singer & Digilio (1952), Spegazzini (1926a), Wright & Albertó (2002).

Stropharia coronilla var. **magnispora** Raithelh., *Metrodiana South.* **5**: 54, 2000.

Dist: BA

Ref: Raithelhuber (2000b, 2004).

Stropharia luteonitens (Fr.) Quél., *Mém. Soc. Émul. Montbéliard*, Sér. 2 **5**: 112, 1872.

Bas: *Agaricus luteonitens* Fr., 1832.

Dist: BA

Ref: Spegazzini (1899).

Stropharia melanosperma (Bull.) Gillet, *Hyménomycètes* (Alençon): 579, 1878.

Bas: *Agaricus melanospermus* Bull. ex Pers., 1801.

Dist: T, BA

Ref: Albertó et al. (1996), Horak (1967), Raithelhuber (2004), Singer & Digilio (1952), Wright & Albertó (2002).

Stropharia mitorhiza Speg., *Bol. Acad. Ci. (Córdoba)* **28**: 333, 1926.

Dist: BA

Ref: Farr (1973), Spegazzini (1926b).

Stropharia pampeana Speg., *Anales Mus. Nac. Buenos Aires* **6**: 149, 1899.

Dist: BA

Ref: Farr (1973), Spegazzini (1899).

***Stropharia pendolae* (Speg.) Singer, *Sydowia* **15**: 69, 1962.**Bas: *Pilosace pendolae* Speg., 1926.

Dist: BA, "North Argentina"

Ref: Farr (1973), Raithelhuber (1991), Spegazzini (1926b).

***Stropharia purpureoaurantiaca* Raithelh., *Hong. Argentin.* **1**: 148, 1974.**

Dist: BA

Ref: Ramadori (1992), Raithelhuber (1974, 1988, 1991, 2004).

***Stropharia purpureoaurantiaca* var. **magnispora** Raithelh., *Hong. Argentin.* **1**: 148, 1974.**

Dist: BA

Ref: Raithelhuber (1974, 1991, 2004).

***Stropharia purpureoviolacea* Raithelh., *Hong. Argentin.* **1**: 148, 1974.**

Dist: BA

Ref: Raithelhuber (1974, 1988, 1991, 2004).

***Stropharia rugosoannulata* Farl. ex Murrill, *Mycologia* **14**(3): 139, 1922.**= *Naematoloma ferrei* (Bres.) Singer, 1951.

Dist: T, MNES, BA

Ref: Raithelhuber (1974, 1988, 2004), Singer & Digilio (1952), Wright & Albertó (2002), Wright et al. (2008), Wright & Wright (2005).

***Stropharia rugosoannulata* var. **farlowiana** (Raithelh.) Raithelh., *Nueva Flora Micológica Argentina*: 243, 2004.**Bas: *Stroparia farlowiana* Raithelh., 2000.

Dist: BA

Ref: Raithelhuber (2000a, 2004).

***Stropharia semiglobata* (Batsch) Quél., *Mém. Soc. Émul. Montbéliard*, Sér. 2 **5**: 143, 1872.**Bas: *Agaricus semiglobatus* Batsch, 1786.= *Stropharia stercorearia* (Schumach.) Quél., 1872.

Dist: S, T, MNES, CBA, BA, MZA, N, RN, TF, IM

Ref: Horak (1967, 1980), Niveiro et al. (2010), Ramadori (1985b, 1992), Raithelhuber (1991, 2004), Singer (1954, 1969), Singer & Digilio (1952), Spegazzini (1887a, 1887b, 1899, 1919, 1926a, 1926b), Watling & Richardson (2010), Wright & Albertó (2002).

***Stropharia umbonescens* (Britzelm.) Sacc. & Traverso, *Syll. fung.* **20**: 913, 1911.**Bas: *Agaricus umbonescens* Britzelm., 1893.

Dist: N, RN

Ref: Raithelhuber (1991, 2004), Singer (1954, 1969).

General remarks

There are 251 species belonging to the families *Coprinaceae* and *Strophariaceae* recorded for Argentina. These 240 species are distributed in 21 genera: *Coprinellus* (14 species), *Coprinopsis* (13), *Coprinus* (33), *Lacrymaria* (1), *Panaeolus* (16), *Parasola* (3), *Psathyra* (2), *Psathyrella* (41), *Flammula* (8), *Hypholoma* (16), *Kuehneromyces* (4), *Melanotus* (7), *Naematoloma* (2), *Pachypleyrum* (1), *Phaeogalera* (1), *Phaeomarasmius* (10), *Pholiota* (28), *Pleuroflammula* (3), *Psilocybe* (29), *Stagnicola* (1) and *Stropharia* (18).

Acknowledgments

The authors wish to thank T. J. Baroni, B. E. Lechner, and A. I. Romero for the critical revision of the manuscript. We also thank authorities of PROPLAME-PRHIDEB (CONICET) to allow us to work in the library of mycology of The Facultad de Ciencias Exactas y Naturales, University of Buenos Aires. We also want to express our gratitude to Laura del Busto who helped us with books and Journals search. This research was made possible by the support of the Argentine Nat'l Research Council (CONICET).

Literature cited

- Albertó E, Wright JE, Fazio A. 1996. *Agaricales* nuevos para la Argentina. Bol. Soc. Argent. Bot. 31(3–4): 235–244.
- Brown A, Martínez Ortiz U, Acerbi M., Corcuera J. 2006. La Situación ambiental argentina 2005. Buenos Aires. Fundación Vida Silvestre Argentina.
- Bruno L, Frías L, Rovetta G, Veltri L. 1970. Las especies en Buenos Aires del género *Coprinus* (*Basidiomycetes, Agaricales*). Kibernetes 1: 1–26.
- Farr M.L. 1973. An annotated list of Spegazzini's fungus taxa. Biblioth Mycol. 35(2): 1–1620.
- Gamundi I, Horak E. 2002. Hongos de los bosques Andino-patagónicos. Guía para el reconocimiento de las especies más comunes y atractivas. Buenos Aires, Vazquez Mazzini Editores.
- Guzmán G. 1978. The species of *Psilocybe* known from Central and South America. Mycotaxon 7(2): 225–255.
- Guzmán G. 1983. The Genus *Psilocybe*: A systematic revision of the known species including the history, distribution and chemistry of the hallucinogenic species. Beih. Nova Hedwigia 74: 1–439.
- Guzmán G, Horak E. 1978. A new species of *Psilocybe* (belonging to the *P. crotula-group*) from Argentina. Mycotaxon 7(3): 521–522.
- Horak E. 1967. Fungi Austroamericanii IV. Revisión de los hongos superiores de Tierra del Fuego o Patagonia en el Herbario de C. Spegazzini en La Plata. Darwiniana 14 (2–3): 355–385.
- Horak E. 1978. *Pleuroflammula*. Persoonia 9(4): 439–451.
- Horak E. 1980 [1979]. Fungi *Basidiomycetes, Agaricales* y *Gasteromycetes* secotioides. Flora Criptogámica de Tierra del Fuego 11(6): 1–528.
- Kirk PM, Cannon PF, Minter DW, Stalpers JA (eds). 2008. Ainsworth & Bisby's. dictionary of the fungi. 10th edition. CABI Publishing, UK.
- Lange JE. 1938. Studies in the Agarics of Denmark. Part XII. Hebeloma, Naucoria, Tubaria, Galera, Bolbitius, Pluteolus, Crepidotus, Pseudopaxillus, Paxillus. Dansk. Bot. Ark. 9(6): 1–104.
- Lechner BE, Wright JE, Popoff O. 2006. New taxa and new records for Argentina of fungi from Iguazú National Park, Misiones. Fungal Diversity 21: 131–139.
- Martínez A. 1949. Agaricáceas nuevas para la Argentina. Lilloa 21: 43–52.
- Moreno G, Albertó E. 1996. *Agaricales* sensu lato de Argentina. I. Cryptog. Mycol. 17(2): 61–84.
- Moyano AJ, Daniele GM. 2003. Nuevo registro de *Psilocybe* (*Fungi, Basidiomycotina, Agaricales*) en Argentina. Acta Bot. Mex. 64: 25–29.
- Niveiro, N & E. Albertó. 2012. Checklist of the Argentine *Agaricales* I. *Amanitaceae, Pluteaceae* and *Hygrophoraceae*. Mycotaxon 119: 49. <http://dx.doi.org/10.5248/119.493> (abstract); <http://www.mycotaxon.com/resources/checklists/NiveiroAlberto-v119-checklist.pdf> (complete paper, 24 p.).

- Niveiro N, Popoff OF, Albertó EO. 2010. Contribución al conocimiento de los *Agaricales* s.l. de la Selva Paranaense argentina. Bol. Soc. Argent. Bot. 45(1–2): 17–27.
- Raithelhuber J. 1974. Hongos argentinos I. Buenos Aires, Compañía Impresora Argentina.
- Raithelhuber J. 1977. Hongos argentinos II. Buenos Aires, Compañía Impresora Argentina.
- Raithelhuber J. 1985. Spec. nov., comb. nov., nom. nov. et stat. nov. Metrodiana 11(2): 50–51.
- Raithelhuber J. 1988. Flora mycologica Argentina. Hongos II. Stuttgart. Mycosur.
- Raithelhuber J. 1990. Diagnoses fungorum et combinationes novae. Metrodiana South. 4:1–21.
- Raithelhuber J. 1991. Flora mycologica Argentina. Hongos III. Stuttgart. Mycosur.
- Raithelhuber J. 2000a. Refugio natural educativo de la ribera norte. Acassuso/San Isidro –Provincia de Buenos Aires. Observaciones sobre hongos. Stuttgart. Publ. by author.
- Raithelhuber J. 2000b. Hongos *Agaricales* de la Isla Martín García. Metrodiana South. 5: 1–59
- Raithelhuber J. 2004. Nueva flora micológica Argentina. Stuttgart, Mycosur.
- Ramarodi EA. 1985a. Flora micológica de Bahía Blanca. Metrodiana 11(1): 27–28.
- Ramarodi EA. 1985b. Flora micológica de Bahía Blanca y zona. 2 parte. Metrodiana 11(2): 51–52.
- Ramarodi EA. 1985c. Flora micológica de Bahía Blanca y zona. 3ra. parte. Metrodiana 11(2): 51–52.
- Ramarodi EA. 1992. Fungus flora de Sierra de la Ventana. Metrodiana 20(3): 111–138.
- Ramarodi EA. 1995. Flora micológica de Bahía Blanca. Nueva aportación. Metrodiana 22(1): 26–30.
- Singer R. 1947. Contributions towards a monographs of the genus *Crepidotus*. Lilloa 13: 59–95.
- Singer R. 1950a. Type studies on *Basidiomycetes* IV. Lilloa 23: 147–246.
- Singer R. 1950b. Dié hoheren pilze Argentinien. Bulletin Suisse de Mycologie 28(1): 181–196.
- Singer R. 1951. Type studies on Agarics III. Lilloa 25: 463–514.
- Singer R. 1953a. Four years of mycological work in southern South America. Mycologia 45(6): 865–891
- Singer R. 1953b. Type studies on *Basidiomycetes* VI. Lilloa 26: 57–159.
- Singer R. 1954. *Agaricales* von Nahuel Huapi. Sydowia 8: 100–157.
- Singer R. 1959. New and interesting species of *Basidiomycetes* VII. Mycologia 51(4): 578–594.
<http://dx.doi.org/10.2307/3756144>
- Singer R. 1960. Dos especies interesantes de *Agaricales* en Punta Lara. Bol. Soc. Argent. Bot. 8(3–4): 216–218.
- Singer R. 1968. Sand dune inhabiting fungi of the south Atlantic coast from Uruguay to Bahia Blanca. Micopathol. Mycol. Appl. 34(2): 129–143. <http://dx.doi.org/10.1007/BF02051422>
- Singer R. 1969. Mycoflora australis. Beih. Nova Hedwigia 29: 1–405.
- Singer R. 1973. Diagnoses fungorum novorum Agaricalium III. Beih. Sydowia 7: 1–106.
- Singer R. 1986. The *Agaricales* in modern taxonomy. 4th ed. Koenigstein. Koeltz Scientific Books.
- Singer R, Digilio APL. 1952 [1951]. Pródromo de la flora agaricina Argentina. Lilloa 25: 6–461.
- Spegazzini C. 1880a. Fungi argentini. Pugillus primus. Anales Soc. Ci. Argent. 9(4): 158–192.
- Spegazzini C. 1880b. Fungi argentini. Pugillus secundus. Anales Soc. Ci. Argent. 9(6): 278–285.
- Spegazzini C. 1880c. Fungi argentini. Pugillus tertius. Anales Soc. Ci. Argent. 10(4): 122–142.
- Spegazzini C. 1881. Fungi argentini, additis nonnullis brasiliensibusque. Pugillus IV. Anales Soc. Ci. Argent. 12: 13–30.
- Spegazzini C. 1887a. Fungi patagonici. Bol. Acad. Nac. Ci. Republ. Argent. 11: 5
- Spegazzini C. 1887b. Fungi fuegiani. Bol. Acad. Nac. Ci. Republ. Argent. 11: 135–308.
- Spegazzini C. 1899 [1898]. Fungi argentini novi v. critici. Anales Mus. Nac. Buenos Aires 6: 6–365.
- Spegazzini C. 1908. Hongos de la Yerba Mate. Anales Mus. Nac. Buenos Aires 17: 111–141.
- Spegazzini C. 1909. Mycetes argentinienses. IV. Anales Mus. Nac. Buenos Aires 19: 257–458.
- Spegazzini C. 1912. Mycetes argentinienses (series VI). Anales Mus. Nac. Buenos Aires 23: 167–244.
- Spegazzini C. 1919. Los hongos del Tucumán. Primera Reunión Nacional de la Soc. Arg. de Cs. Naturales de Tucumán: 254–274.
- Spegazzini C. 1922. Cryptogamae nonnullae fuegianae. Anales Soc. Ci. Argent. 94: 59–85.
- Spegazzini C. 1925. Relación de un paseo hasta el Cabo de Hornos. Bol. Acad. Ci. (Córdoba) 27: 321–404.

- Spegazzini C. 1926a. Contribución al conocimiento de la flora micológica de las Sierras de Córdoba. *Bol. Acad. Ci. (Córdoba)* 29: 113–190.
- Spegazzini C. 1926b. Observaciones y adiciones a la micología Argentina. *Bol. Acad. Ci. (Córdoba)* 28(3–4): 267–351.
- Watling R, Richardson MJ. 2010. Coprophilous fungi of the Falkland Islands. *Edinburgh J. Bot.* 67(3): 399–423.
- Wright JE, Albertó E. 2002. Guía de los hongos de la región Pampeana. I. Hongos con laminillas. Buenos Aires, L.O.L.A.
- Wright JE, Lechner BE, Popoff OF. 2008. Hongos. *Atlas pictórico del Parque Nacional Iguazú*. Buenos Aires, L.O.L.A.
- Wright JE, Wright E. 2005. Checklist of the mycobiota of Iguazu National Park (Misiones, Argentina). *Bol. Soc. Argent. Bot.* 40(1–2): 23–44.